



General		
Shape	Rectangular	
Seating Capacity	3	
Shell Material	Granitex™ / Acrylic / Ultralife™	
Dimensions	83" x 66" x 30" H / (211cm X 167cm x 76cm H)	
Corner Radii	9" (23 cm)	
Water Capacity	190 Gallons (720 Liters)	
Dry Weight	460 lbs (210 kg)	
Shipping Weight	460 lbs (231 kg)	
Full Weight	2042 lbs (930 kg)	
Skirt Material	Synthetic	
Poly Floor	Yes	
Water System		
Water Treatment System	n/a	
Plumbing Systems	2	
Filters/Coverage	1 / 75 sq. ft.	
Gate Valves	0	
VCR Jet® - Air Adjustable/Directional	3	
VCR Jet® - Rotator	2	
VCR Jet® - Dual Rotator	1	
VCR Jet® - Multi Port Spinner	0	
VCR Jet® - Mini Rotator	2	
VCR Jet® - Mini Directional	2	
VCR Jet® - Euro Directional	4	
VCR Jet® - Euro Rotator	2	
VCR Jet® - Mini Directional in NFJ	2	
Typhoon Jet	0	
Ozone Jet	0	
Heater Return Jet	0	
Pump Returns	2	
Diverter Valves	1	
Floor Drains	n/a	
Skimmer	8" Weir	
Special Features		
Dynamic Massage Sequencer w/ control panel	n/a	
NeckFlex® Jet Pillows	1	
Headrest Pillows	0	
Stereo system	Optional	
Water Feature	n/a	
Water Feature Volume control	n/a	
Cup Holders	2	
Tactile Therapy	Pedestal	
Pump Information		
	Domestic (60Hz)	Export (50Hz)
Motor Size – Peak (Continuous) HP	3.0 (1.5) HP	3.6 (2.0) HP
Jet Pumps # of Pumps/Speed	One Dual	One Dual
Circulation pump	n/a	n/a
Fountain pump	n/a	n/a
Electrical System		
	Domestic (60Hz)	Export (50Hz)
Voltage	120/240	240
Amperage	15/30/40	1X16 / 2X16 / 1X32
Heater	4.0 KW	2.0 KW
Thermostat	Electronic	Electronic
Light	1 LED	1 LED
Control System	SSPA-1-D13	SSPA-1-D13-CE
Upper Control	Programmable Digital	Programmable Digital
Auxiliary Upper Control	No	No

Note: Subject to change without notice.

Architectural Specification



Note: Subject to change without notice.

1. Engineering specs may differ slightly from brochure.
2. For E-Z lifter installation allow 18" (45.7 cm) clearances on the backside of the spa.
3. Alternative cabinets may add significant weight. Ask your dealer for exact details.
4. Stereo Optional.

Caution:

Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa.

Serenade Plumbing Configuration


Pump 1 - Drain &
Skimmer



Note: Subject to change without notice.

1. Pump 1 all jets

Serenade Jet Insert Designations



Note: Subject to change without notice.

1. Reference Doc-2484 Rev A.
2. Stereo Optional.